



	Galveston County H	lealth District		No.	. of Violations COS	0	Date	08/08/2023
	9850-A Emmett F. I P.O. Box 939			No. of	0	Time In	10:32AM	
	La Marque, TX 775 Texas City, TX 775 409-938-2411			0	Time Out	11:02AM		
Establishment	Addres		DE A OLL	City/State	Zip Code)		ephone
CITY OF JAMAICA BEACH	16721 J 77554, ⁻	OLLY ROGER, JAMAICA ΓΧ	BEACH,	JAMAICA BEACH, TX	77554		(409)	737-1142
Permit Number		Holder		Purpose of Inspection	Est. Typ		Risk Cat	egory
PR0005684	CITY OF	F JAMAICA BEACH		Regular Inspection	CITY OF JAM/ BEACH	AICA	POOL	
Mark designa	ated compliance status	(IN, OUT, N/O, N/A) for each r	numbered item	M	lark "X" in appropriate bo	ox for CC	S and/or R	
In = In compliance OUT =	Not In compliance	N/O = Not observed	N/A = Not app	olicable COS = Correc	cted on-site during inspe	ction	R = Repo	eat violation
Compliance Status		cos						R
CVALIBABATI	NC DOOL VIOL	ATIONS CORRECT	VIOLATIONS	WITHIN 20 DAYS HALL	ECC OTHERWICE	= NOT	ED	

	SWIMMING POOL VIOLATIONS- CORRECT VIOLATIONS WITHIN 30 DAYS UNLESS OTHERWISE NOTED DISINFECTION SECTION									
	IN	OUT	N/A	N/O	1. CHLORINE (Pool 1.0-8.0, Spa 2.0-8.0)./ BROMINE (Pool 2.5-12.0 , Spa 4.5-12.0) (Note in comments)					
Violation Con		amaica Beach pool	is at 5-10 nnm	eo it'e in ac	and compliance					
Official elever		· .			· · · · · · · · · · · · · · · · · · ·					
	IN	OUT	N/A	N/O	2. PH (7.0-7.8) (Please note in comments)					
Violation Con		a Beach pool is at	7.5-7.8, so it's in	good com	pliance.					
	IN	OUT	N/A	N/O	3. DPD CHLORINE TEST KIT					
	IN	OUT	N/A	N/O	4. NO ALGAE					
	IN	OUT	N/A	N/O	5. WATER CLEAR-DEEPEST POINT OF POOL/SPA CLEARLY VISIBLE MAIN DRAINS					
	IN	OUT	N/A	N/O	6. SKIMMER BASKET NOT USED TO DISPENSE SANITIZER					
	IN	OUT	N/A	N/O	7. AUTOMATIC DISPENSER PROVIDED AND OPERATING					
					SPAS SECTION					
	IN	OUT	N/A	N/O	8. TEMPERATURE 104F OR LESS/SPA THERMOMETER AVAILABLE					
	IN	OUT	N/A	N/O	9. EMERGENCY SHUTOFF SWITCH IN SIGHT & MINIMUM 5FT AWAY FROM SPA (POST 10/99 POOLS)					
	IN	OUT	N/A	N/O	10. "DO NOT USE SPA IF TEMP IS ABOVE 104F "1 IN LETTER					
	IN	OUT	N/A	N/O	11. MINIMUM 2 PERMANENT DECK DEPTH MARKERSWITH 4" NUMBERS					
	IN	OUT	N/A	N/O	12. 15 MIN. TIMER SWITCH MINIMUM 5 FEET AWAY FROM SPA (POST 10/99 POOLS)					
	IN	OUT	N/A	N/O	13. MAXIMUM USER LOAD LIMIT SIGN PROVIDED					
	CHLORINE GAS SECTION									
	IN	OUT	N/A	N/O	14. TWO TRAINED PERSONNEL & EMERGENCY PROCEDURES AVAILABLE					
	IN	OUT	N/A	N/O	15. CHLORINE GAS STORED IN PROPERLY VENTED ROOM					
	IN	OUT	N/A	N/O	16. "DANGER CHLORINE"-4" LETTERS ON EXTERIOR OF CHLORI					
	IN	OUT	N/A	N/O	17. VIEW PORT ON ONE EXTERIOR DOOR					



W		County Health D mmett F. Lowry E:				Violations COS peat Violations	0	Date 08/08/2023 Time In 10:32AM
	•	e, TX 77568 y, TX 77591 2411			s	Time Out 11:02AM		
Establishment CITY OF JAMAICA E		Address	ROGER, JAMAIC	CA BEACH,	City/State JAMAICA BEACH, TX	Zip Code 77554		Telephone (409) 737-1142
Permit Number PR0005684		Permit Holder CITY OF JAMAI	CA BEACH		Purpose of Inspection Regular Inspection	Est. Type CITY OF JAMA BEACH		Risk Category POOL
Mar	k designated complia	nce status (IN, OUT	, N/O, N/A) for each	h numbered item	Mark	"X" in appropriate box	for CC	S and/or R
In = In compliance	OUT = Not In comp	oliance N/O =	Not observed	N/A = Not app	cos = Corrected	on-site during inspect	ion	R = Repeat violation
Compliance Status			со	S				R
IN	OUT	N/A	N/O	18. ELECTRI	CAL SWITCHES ON EXTERIOR	OF CHLORINE GA	AS HO	USING
IN	OUT	N/A	N/O	19. SCALE S	UITABLE FOR WEIGHING GAS	CYLINDERS		
IN	OUT	N/A	N/O	20. FRESH A	MMONIA SOLUTION TO TEST F	OR LEAKS OUTSI	DE	
			DEP	TH MARKERS	SECTION			
IN	OUT	N/A	N/O	21. DECK & \$	SIDEWALL DEPTH MARKERS PI	ERMANENT WITH	4" NU	MBERS
IN	OUT	N/A	N/O	22. MARKER	S AT MAX & MIN DEPTH, BREA	KPOINT & 2' DEPT	'H INT	ERVALS
IN	OUT	N/A	N/O	23. DEPTH N POOLS)	MARKERS NO MORE THAN 25 F	EET APART ((POST	10/99
IN	OUT	N/A	N/O	24. DEPTH N	MARKERS-FFET AND/OR INCHE	S 4" LETTERS (PC	ST 10	/99 POOLS)
IN	OUT	N/A	N/O	25. ROPE AN	ND FLOAT LINE AT SHALLOW TO Y)	DEEP TRANSITI	ON (C	LASS A & B
IN	OUT	N/A	N/O	26. 4" "NO DI	IVING" LETTERS & SYMBOLS			
IN	OUT	N/A	N/O	27. MIN. 2"N	O DIVING" LETTERS & SYMBOL	WHERE DEPTH	6' OR	LESS
IN	OUT	N/A	N/O	28. 4" X 4" LI	NE ON BOTTOM SEPARATING	SHALLOW FROM I	DEEP	(>5')
			MI	ECHANICAL S	ECTION			
IN	OUT	N/A	N/O	29. PUMP FU	JNCTIONING			
IN	OUT	N/A	N/O	30. PUMP VA	ACUUM/INLET/OUTLET GAUGES	& FLOWMETER I	FUNC	TIONING
IN	OUT	N/A	N/O	31. FILTER C	ON POOL/SPA FUNCTIONING PR	ROPERLY		
IN	OUT	N/A	N/O	32. EXPOSE	D PIPING LABELED TO IDENTIF	Y FUNCTION & FL	.OW E	IRECTION
IN	OUT	N/A	N/O	33. STRAINE	R ON PUMP			
IN	OUT	N/A	N/O	34. WATER [DISTRIBUTION SYSTEM PROTE	CTED AGAINST B	ACKF	LOW
IN	OUT	N/A	N/O	35. OVER-TH	HE-RIM FILL SPOUT WITH SECU	RE SOFT PLIABLE	END	
_			O	PERATION SE	CTION			
IN	OUT	N/A	N/O		OR LICENSE(S) CURRENT AND ion in Comments)	AVAILABLE (Note	Opera	ator Name



HANDRAILS (POST 10/99 POOLS)						
Texas City, TX 77591	0	Date 08/08/2023 Time In 10:32AM				
16721 JOLLY ROGER, JAMAICA BEACH, JAMAICA BEACH, TX T7554	0	Time Out 11:02AM				
CITY OF JAMAICA BEACH Regular Inspection CITY OF JAMAICA BEACH Regular Inspection CITY OF JAMAICA BEACH		Telephone (409) 737-1142				
In a In compliance OUT = Not In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site during inspect Compliance Status COS IN OUT N/A N/O 38. SKIMMER COVER SECURELY IN PLACE IN OUT N/A N/O 39. POOL/SPA BOTTOM AND SIDES LIGHT COLOR OR WHITE IN OUT N/A N/O 40. BACKBOARD WITH 3 TIE-DOWN STRAPS & HEAD IMMOBIL IN OUT N/A N/O 41. FIRST AID KIT WITH ANTI-DISEASE TRANSMISSION KIT IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMINING IN OUT N/A N/O 43. DIVING BOARDS/PLATFORMS 1/2-1 M WITH SINGLE GUAR (POST 10/99 POOLS) IN OUT N/A N/O 45. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUARD MINIMINING MINIMINIMINING MINIMINIMINING MINIMINIMINING MINIMINIMINI		Risk Category POOL				
Compliance Status IN OUT N/A N/O 38. SKIMMER COVER SECURELY IN PLACE IN OUT N/A N/O 39. POOL/SPA BOTTOM AND SIDES LIGHT COLOR OR WHITE IN OUT N/A N/O 40. BACKBOARD WITH 3 TIE-DOWN STRAPS & HEAD IMMOBIL IN OUT N/A N/O 41. FIRST AID KIT WITH ANTI-DISEASE TRANSMISSION KIT IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMINIMINIMINIMINIMINIMINIMINIMINIMIN	for CC	OS and/or R				
IN OUT N/A N/O 38. SKIMMER COVER SECURELY IN PLACE IN OUT N/A N/O 39. POOL/SPA BOTTOM AND SIDES LIGHT COLOR OR WHITE IN OUT N/A N/O 40. BACKBOARD WITH 3 TIE-DOWN STRAPS & HEAD IMMOBIL IN OUT N/A N/O 41. FIRST AID KIT WITH ANTI-DISEASE TRANSMISSION KIT IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMULTIPLE DIVING BOARDS MIN	on	R = Repeat violation				
IN OUT N/A N/O 39. POOL/SPA BOTTOM AND SIDES LIGHT COLOR OR WHITE IN OUT N/A N/O 40. BACKBOARD WITH 3 TIE-DOWN STRAPS & HEAD IMMOBIL IN OUT N/A N/O 41. FIRST AID KIT WITH ANTI-DISEASE TRANSMISSION KIT IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMING IN OUT N/A N/O 43. DIVING BOARDS/PLATFORMS 1/2-1 M WITH SINGLE GUAR (POST 10/99 POOLS) IN OUT N/A N/O 44. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUARNDRAILS (POST 10/99 POOLS) IN OUT N/A N/O 45. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUARNDRAILS (POST 10/99 POOLS) IN OUT N/A N/O 46. MIN 12' NON-CONDUCTIVE POLE WITHIN 20" OF POOL Wiolation Comments: DBSERVED: A. Shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POOL IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED		R				
IN OUT N/A N/O 40. BACKBOARD WITH 3 TIE-DOWN STRAPS & HEAD IMMOBIL IN OUT N/A N/O 41. FIRST AID KIT WITH ANTI-DISEASE TRANSMISSION KIT IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMULTIPLE D						
IN OUT N/A N/O 41. FIRST AID KIT WITH ANTI-DISEASE TRANSMISSION KIT IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMINED IN OUT N/A N/O 43. DIVING BOARDS/PLATFORMS 1/2-1 M WITH SINGLE GUAR (POST 10/99 POOLS) IN OUT N/A N/O 44. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUARD POOLS) IN OUT N/A N/O 45. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUARD POOLS) IN OUT N/A N/O 45. DIVING BOARD(S) PROPERLY LABELED (POST 10/99 POOLS) IN OUT N/A N/O 46. MIN 12' NON-CONDUCTIVE POLE WITHIN 20" OF POOL Wiclation Comments: CORRECTIVE ACTION: A. Make sure that the shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POOL IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED						
IN OUT N/A N/O 42. DISTANCE BETWEEN MULTIPLE DIVING BOARDS MINIMULTIPLE DIVING BOARDS MINIMULT MINIMUL	LIZEF	₹				
IN OUT N/A N/O 43. DIVING BOARDS/PLATFORMS 1/2-1 M WITH SINGLE GUAI (POST 10/99 POOLS) IN OUT N/A N/O 44. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUAINDRAILS (POST 10/99 POOLS) IN OUT N/A N/O 45. DIVING BOARD(S) PROPERLY LABELED (POST 10/98 POOLS) IN OUT N/A N/O 46. MIN 12' NON-CONDUCTIVE POLE WITHIN 20" OF POOL Wiolation Comments: OBSERVED: A. Shepherd's hook base pole is made out of aluminum. CORRECTIVE ACTION: A. Make sure that the shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POOL IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED						
IN OUT N/A N/O 44. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUND HANDRAILS (POST 10/99 POOLS) IN OUT N/A N/O 45. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUND HANDRAILS (POST 10/99 POOLS) IN OUT N/A N/O 46. MIN 12' NON-CONDUCTIVE POLE WITHIN 20" OF POOL Wiolation Comments: OBSERVED: A. Shepherd's hook base pole is made out of aluminum. CORRECTIVE ACTION: A. Make sure that the shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POOL IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED	JM 10	FEET				
IN OUT N/A N/O 45. DIVING BOARD(S) PROPERLY LABELED (POST 10/98 OF POOL OF POO		HANDRAILS				
IN OUT N/A N/O 46. MIN 12' NON-CONDUCTIVE POLE WITHIN 20" OF POOL Wiolation Comments: OBSERVED: A. Shepherd's hook base pole is made out of aluminum. CORRECTIVE ACTION: A. Make sure that the shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POOL IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED	44. DIVING BOARDS/PLATFORMS OVER 1 M WITH 2/DUAL GUARD & HANDRAILS (POST 10/99 POOLS)					
Violation Comments: OBSERVED: A. Shepherd's hook base pole is made out of aluminum. CORRECTIVE ACTION: A. Make sure that the shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POO IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED	45. DIVING BOARD(S) PROPERLY LABELED (POST 10/99 POOLS)					
DBSERVED: A. Shepherd's hook base pole is made out of aluminum. CORRECTIVE ACTION: A. Make sure that the shepherd's hook base pole is made out of fiber-glass. IN OUT N/A N/O 47. 15"-24" DIAMETER USCG RING BUOY WITHIN 20" OF POO IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED						
IN OUT N/A N/O 48. 1/4"-3/4" THROW ROPE ATTACHED TO RING BUOY IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED						
IN OUT N/A N/O 49. GLASS CONTAINERS IN POOL/SPA YARD IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED	L					
IN OUT N/A N/O 50. TRASH CONTAINERS PROVIDED						
SIGNAGE SECTION						
IN OUT N/A N/O 51. SIGN(S) VISIBLE TO POOL/SPA USER IN ALL AREAS OF P	OOL					
IN OUT N/A N/O 52. "NO DIVING"-4" LETTERS AND SYMBOL Violation Comments: DBSERVED: A. "No Diving" lettering is at 3 inches.						
CORRECTIVE ACTION: A. Make sure that the "No Diving" lettering needs to be at 4 inches.						
IN OUT N/A N/O 53. "WARNING-NO LIFEGUARD ON DUTY"-4"LETTERS						



Galveston County Health District		No. of Vi	olations COS	0	Date	08/08/2023			
	9850-A Emmett F. Lowry Expressway P.O. Box 939	No. of Repeat Violations			Time In	10:32AM			
	La Marque, TX 77568 Texas City, TX 77591 409-938-2411	Sc	ore (optional)	0	Time Out	11:02AM			
Establishment CITY OF JAMAICA BEACH	Address 16721 JOLLY ROGER, JAMAICA BEACH, 77554, TX	City/State JAMAICA BEACH, TX	Zip Code 77554	•		lephone 737-1142			
Permit Number PR0005684	Permit Holder CITY OF JAMAICA BEACH	Purpose of Inspection Regular Inspection	Est. Type CITY OF JAMA BEACH		Risk Cat	tegory			
Mark designa	Mark designated compliance status (IN, OUT, N/O, N/A) for each numbered item Mark "X" in appropriate box for COS and/or R								

In = In compliance	OUT = Not In compliance	N/O	= Not observed	N/A = Not applicable COS = Corrected on-site during inspection		R = Repeat violation
Compliance Status	cos					
IN	OUT	N/A	N/O	54. "CHILDREN SHOULI 2"LETTERS) NOT USE POOL W/O ADULT SUPERVISIO)N -
IN	OUT	N/A	N/O	55. "IN CASE OF EMERO	GENCY-DIAL 911"-1" LETTERS	
IN	OUT	N/A	N/O	56. PHONE LOCATION S	SIGN VISIBLE IN POOL/SPA YARD (IF PHON	NE NOT
			SUCT	ION OUTLETS SECTIO	N	
IN	OUT	N/A	N/O	57. SINGLE SUCTION O	UTLET-SVRD/AVS INSTALLED	
IN	OUT	N/A	N/O	58. SUCTION OUTLET C	OVER(S)/GRATE(S) INTACT AND IN PLACE	
IN	OUT	N/A	N/O	59. EQUALIZER OUTLE	Γ(S) WITH APPROVED COVER OR SEALED	
IN	OUT	N/A	N/O	60. DUAL MAIN DRAINS	(POST 10/99 POOLS)	
			TE	ELEPHONE SECTION	-	
IN	OUT	N/A	N/O	61. EMERGENCY PHON	E OUTSIDE POOL/SPA YARD (IF REQUIRE	D
IN	OUT	N/A	N/O	62. EMERGENCY PHON	E LOCATION SIGN ON POOL/SPA GATE	
IN	OUT	N/A	N/O	63. EMERGENCY PHON	E W/IN 200' & NOT ANSWERED BY ONSITE	OFFICE
Violation Comments:	:					

Violation Comments:

OBSERVED:

A. 911 Emergency Red Phone isn't working.

CORRECTIVE ACTION:

A. Make sure that the red phone is fixed and has a connection.

WADING POOLS SECTION									
l!	N	OUT	N/A	N/O	64. WADE POOL 15 FEET FROM SHALLOW/35 FEET FROM DEEP WATER AREAS (OR) (POST 10/99 POOLS)				
li l	N	OUT	N/A	N/O	65. WADE POOL FENCED SEPARATELY FROM POOL/SPA) (POST 10/99 POOLS)				
II	N	OUT	N/A	N/O	66. WADE POOL W/INDEPENDENT CIRCULATORY/SANITIZATION SANITIZATION SYSTEM (POST 10/99 POOLS)				
	BATH HOUSE SECTION								
II	N	OUT	N/A	N/O	67. FACILITIES CLEAN AND SANITARY				
II	N	OUT	N/A	N/O	68. PRIVATE GENDER SPECIFIC FACILITIES				
ıı	N	OUT	N/A	N/O	69. FLOOR SLIP RESISTANT & SLOPED TO FLOOR DRAINS				



	Galveston C	ounty Health D	istrict		No. of	Violations COS	0	Date 08/08/2023
	P.O. Box 93		xpressway		No. of Repeat Violations			Time In 10:32AM
	La Marque, Texas City, 409-938-241	TX 77591			:	0	Time Out 11:02AM	
Establishment CITY OF JAMAICA BE	ACH 1	Address	ROGER, JAMAICA	A BEACH,	City/State JAMAICA BEACH, TX	Zip Code 77554		Telephone (409) 737-1142
Permit Number PR0005684		Permit Holder	CA BEACH		Purpose of Inspection Regular Inspection	Est. Type		Risk Category POOL
Mark c	designated compliance	e status (IN, OUT	, N/O, N/A) for each	numbered item	I Mark	BEACH "X" in appropriate box	for CC	S and/or R
In = In compliance	OUT = Not In complia	ince N/O =	Not observed	N/A = Not app	cos = Corrected	on-site during inspec	tion	R = Repeat violation
Compliance Status			cos					R
IN	OUT	N/A	N/O	70. MIRROR	SHATTER RESISTANT & SOAF	DISPENSER MET	AL OR	PLASTIC
IN	OUT	N/A	N/O	71. TOILET F	PAPER & HOLDER PROVIDED			
IN	OUT	N/A	N/O	72. SINGLE U	USE TOWELS OR HAND DRYE	R PROVIDED		
IN	OUT	N/A	N/O	73. COVERE	D WASTE RECEPTACLES			
IN	OUT	N/A	N/O	74. POTABLE	E WATER SUPPLY			
IN	OUT	N/A	N/O	75. DRINKIN	G WATER AVAILABLE TO POO	L/SPA USERS		
LIFEGU	ARD-Required	l at Class A	& B Pools and	d Class C Poo	ols with Diving Boards or	Slides Access	ible S	ection
IN	OUT	N/A	N/O		FEGUARD & 2ND RESPONDER OOLS WITH DIVING BOARD/SLII	•	A, B P	OOLS AND
IN	OUT	N/A	N/O	77. CURREN	IT CERTIFICATION(S) AVAILAB	LE		
IN	OUT	N/A	N/O	78.SECOND	RESPONDER ON DUTY			
IN	OUT	N/A	N/O	79. LIFEGUA POOLS)	RD CHAIR(S) AT LEAST 4 FEE	Γ ABOVE DECK	(PO	ST 10/99
<u></u>			ENCLO	SURE- SB 75	7 SECTION			
IN	OUT	N/A	N/O	80. MINIMUN	/I 48-INCH HEIGHT			
IN	OUT	N/A	N/O	81. NO OPEN	NINGS UNDER FENCE ALLOW	PASSAGE OF 4" S	PHERI	<u> </u>
IN	OUT	N/A	N/O	82. GATE(S)	SELF-CLOSING AND SELF-LA	CHING & NOT PR	OPPEI	O OPEN
IN	OUT	N/A	N/O	83. NO STRU	JCTURES WITHIN 36" ALLOWIN	IG FENCE TO BE S	SCALE	D
IN	OUT	N/A	N/O	84. GATE(S)/	/DOOR(S) OPEN OUTWARD			
IN	OUT	N/A	N/O		G HARDWARE MIN. 42" ABOVE A KEY OR CARD (OR)	GROUND AND CA	N BE	OPENED
IN	OUT	N/A	N/O	86. HORIZON	NTALS 45" OR MORE APART 2/	NO GAPS GREATE	R TH	AN 4"
IN	OUT	N/A	N/O	87. HORIZON 1-3/4"	NTALS LESS THAN 45" APART	W/NO GAPS GREA	TER T	HAN
IN	OUT	N/A	N/O	88. NO FENC	CE CUTOUTS W/GAPS GREATE	ER THAN 1-3/4" INC	CHES	
IN	OUT	N/A	N/O	89. LATCH O	OUTSIDE & MINIMUM 60" ABOV	E THE GROUND (C	PR)	
	OUT	N/A	N/O		NSIDE, 3" BELOW TOP & NO OF			



	eston County Health District	No. of Violations COS			Date (08/08/2023	
P.O.	I-A Emmett F. Lowry Expressway Box 939	No. of Repeat Violations			Time In	10:32AM	
La Marque, TX 77568 Texas City, TX 77591 409-938-2411		Sc	ore (optional)	0	Time Out	11:02AM	
Establishment	Address	City/State	Zip Code	•	Tele	phone	
CITY OF JAMAICA BEACH	16721 JOLLY ROGER, JAMAICA BEACH, 77554, TX	JAMAICA BEACH, TX	77554		(409) 7	37-1142	
Permit Number PR0005684	Permit Holder CITY OF JAMAICA BEACH	Purpose of Inspection Regular Inspection	Est. Typ CITY OF JAM/ BEACH		Risk Cate POOL	gory	
Mark designated compliance status (IN, OUT, N/O, N/A) for each numbered item Mark "X" in appropriate box for COS and/or R							

Ma	rk designated compliance stat	us (IN, OUT, N	I/O, N/A) for each	n numbered item	Mark "X" in appropriate box for Co	OS and/or R
In = In compliance	OUT = Not In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site during inspect					R = Repeat violation
Compliance Status				R		
IN	OUT	N/A	N/O	91. MINIMUM 48-INCH H	EIGHT ENCLOSURE	
IN	OUT	N/A	N/O	92. NO OPENINGS UND	ER FENCE THAT ALLOW PASSAGE OF 4" S	SPHERE
IN	OUT	N/A	N/O	93. SELF-CLOSING & SE	ELF-LATING DEVICE & OPENS OUTWARD	
IN	OUT	N/A	N/O	94. NO CHAIN LINK AFT	ER 01/01/94	
			ENCLOSI	URE - CLASS A&B SEC	TION	
IN	OUT	N/A	N/O	95. MINIMUM FENCE HE	EIGHT 6 FEET	
IN	OUT	N/A	N/O	96. DESIGNED TO BE D	IFFICULT TO CLIMB	
IN	OUT	N/A	N/O	97. GAPS LESS THAN 4	INCHES	
IN	OUT	N/A	N/O	98. GATE(S)/DOOR(S) D	IRECTLY SUPERVISED OR LOCKED	
IN	OUT	N/A	N/O	99. OTHER VIOLATIONS	·	

Overall Inspection Comments:

jsark@jamaicabeachtx.gov

Signatures

Person in Charge (Signature)

Jessica Sarking/2/2015

Date: 08/08/2023

Inspector (Signature)

Ernesto Chacon(8/8/2023 (10-17-1)

Follow-up: Yes No (Circle one) Follow-up Date: